

Technical Information Sheet



www.carolux.nl

EPOXY PRIMER HARDENER

Art. no. 6225

Field of application	:	Hardener for Epoxy Primer 4:1.
Chemical basis	:	Polyamino-amide combination.
General qualities	:	Combined with Epoxy primer, for use as high-filling primer with excellent resistance to chemicals.
Auxiliary materials	:	Epoxy primer 4:1 2K PU Thinner
Mixing Ratio (volume)	:	4:1 (Primer : Hardener), if needed add max. 30% 2K PU Thinner.
Physical properties	:	
Density	:	0,89 kg/L
Flashpoint	:	7°C
% solids (m)	:	29%
VOC	:	620-640 g/L
Cleaning the equipment	:	Uni Thinner STD 1038
Packaging	:	¼ and 1 L
Colour	:	Clear, slightly yellow
Storage life	:	Under normal storage conditions max. one year in unopened tins.